

Prior Authorization Request Form for Botulinum Toxins

Pharmacy Solutions

FAX this completed form to (877) 386-4695

OR Mail requests to: Envolve Pharmacy Solutions PA Department | 5 River Park Place East, Suite 210 | Fresno, CA 93720

e: #: lergies: Qty. Requested: l be injected into each site:					
lergies: Qty. Requested:					
Qty. Requested:					
Qty. Requested:					
Qty. Requested:					
l be injected into each site:					
Dates of previous injections: IV. REQUIRED DOCUMENTION (Detailed medical record documentation demonstrating evidence for each item must be submitted with prior authorization request)					
Specify diagnosis & diagnosis code relevant to this request: Dx/Dx Code:					
ies Submit documentation. Io					
es Submit documentation of previous trials/failures, contraindications, and/or intolerances or current use.					
 preferred medications in this class. Member is not pregnant or breastfeeding If requesting for daily quantity exceeding daily limit (Refer to <u>https://www.dhs.pa.gov/providers/Pharmacy-Services/Pages/Quantity-Limits-and-Daily-Dose-Limits.aspx</u>), please provide supporting information: 					
SUBMIT MEDICAL RECORD INFORMATION FOR EACH APPLICABLE ITEM.					
CHRONIC SPASTICITY: □ Spasticity is a result from: □ Cerebral Palsy □Multiple Sclerosis □Traumatic Brain Injury □Spinal Cord Injury □Stroke □ Member has documented spasticity that: □ Interferes with daily living, evidenced by: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture with future growth: □ Is expected to result in joint contracture, they have been considered for surgical intervention □ Botulinum toxin is requested to: □ Enhance function: □ Allow for additional therapeutic modalities: □ Stroke					

	Botulinum toxin will be used in conjunction with other appropriate therapeutic modalities (physical therapy, occupational therapy, gradual splinting, etc):					
STRA	BISMUS:					
	Member has a deviation of less than 50 prism diopters, please list deviation:					
	Treatment has the potential to restore binocular vision					
	Strabismus is NOT due to Duane's Syndrome with lateral rectus muscle weakness, restrictive strabismus or secondary					
	strabismus caused by prior surgery					
AXILI	AXILLARY HYPERHIDROSIS:					
	Documented history of therapeutic failure, contraindication or intolerance to a topical agent (Aluminum Chloride					
	20%): (medication, start date and end date)					
CHRO	CHRONIC MIGRAINE:					
	Member has a history of chronic migraine headache not attributed to other causes including medication overuse:					
	Headache (tension-type and/or migraine) on at least 15 days per month for at least 3 months:					
	At least 5 of these attacks meet at least 2 of the following					
	Unilateral location					
	Pulsating quality					
	□ Moderate to severe intensity					
	Aggravation by or causing avoidance of routine physical activity (e.g. walking or climbing stairs)					
	□ Nausea and/or vomiting					
	Photophobia and Phonophobia					
	Headaches are treated and relieved by triptans or ergotamine(s) before the expected development of associated					
	□ symptoms of migraines					
	Documented history of therapeutic failure, contraindication or intolerance to at least 3 of the following: (medication,					
	start date and end date)					
	Beta-Blocker (e.g. metoprolol, propranolol, timolol):					
	Antidepressant (e.g. amitriptyline, venlafaxine):					
	Anticonvulsant (e.g. topiramate, valproic acid, divalproex):					
	Calcium Channel Blocker (e.g. verapamil):					
URINARY INCONTINENCE DUE TO DETRUSOR OVERACTIVITY ASSOCIATED WITH NEUROLOGIC CONDITION:						
	incontinence: (medication, start date and end date)					
	ACTIVE BLADDER:					
	Member has overactive bladder with symptoms of urge urinary incontinence, urgency and frequency					
	Documented history of therapeutic failure, contraindication or intolerance to at least 2 agents used to treat overactive					
DENE	bladder: (medication, start date and end date)					
	WAL REQUEST:					
	 Request exceeds the recommended FDA dosing and duration of therapy: Previous treatment was well tolerated but inadequate 					
	-					
	Medical literature supports more frequent dosing intervals as safe and effective for the diagnosis and requested dose					
	Request is consistent with the recommended FDA dosing and duration of therapy:					
	 Request is consistent with the recommended PDA dosing and duration of therapy. Previous treatment was well tolerated and the member showed evidence of measurable improvement in severity 					
	of symptoms					
	 Symptoms returned to such a degree that repeat injection is required 					
IV. P.	IV. ADDITIONAL RATIONALE FOR REQUEST / PERTINENT CLINICAL INFORMATION :					

the basis of medical necessity must be submitted.	Appropriate clinical information to support the request on	Provider Signature:	Date:
	the basis of medical necessity must be submitted.		

Envolve Pharmacy Solutions will respond via fax or phone within 24 hours.

Requests for prior authorization (PA) requests must include member name, ID#, and drug name. Please include lab reports with requests when appropriate (e.g., Culture and Sensitivity; Hemoglobin A1C; Serum Creatinine; CD4; Hematocrit; WBC, etc.)