

**FAX this completed form to (877) 386-4695**

**OR Mail requests to: Envolve Pharmacy Solutions PA Department | 5 River Park Place East, Suite 210 | Fresno, CA 93720**

I. PROVIDER INFORMATION		II. MEMBER INFORMATION	
Prescriber Name:		Member Name:	
Prescriber Specialty:		Identification #:	
Office Contact Name:		Group #:	
Group Name:		Date of Birth:	
Fax #:		Medication Allergies:	
Phone #:			
III. DRUG INFORMATION (One drug request per form)			
Drug name and strength:	Dosage Interval (sig):	Qty. per Day:	
Anticipated duration of opioid analgesic therapy:		Weight (if <21 yo):	
IV. REQUIRED DOCUMENTATION (Detailed medical record documentation demonstrating evidence for each item must be submitted with prior authorization request)			
Specify diagnosis & diagnosis code relevant to this request: <i>(NOTE: pain may not be migraine type, unless requesting nasal butorphanol)</i>		Dx/Dx Code: _____	
Did the prescriber or prescriber's delegate search the PDMP to review the member's controlled substance prescription history before issuing this prescription for the requested agent?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<i>Submit documentation.</i>	
Is the member taking a benzodiazepine? <i>(NOTE: Concomitant benzodiazepine/opioid use will not be approved, unless the benzodiazepine or opioid is being tapered or concomitant use is determined to be medically necessary)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<i>Submit member's complete medication list. If concomitant benzodiazepine use, submit documentation of plan to taper/discontinue or provide justification of medical necessity.</i>	
Does the member have a concomitant prescription for buprenorphine agent indicated for the treatment of opioid use disorder or naltrexone ER injectable (Vivitrol)?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<i>Submit documentation.</i>	
<b>Requests for all non-preferred medications:</b> Does the member have a history of trial and failure of or contraindication or intolerance to the preferred Analgesics, Opioid Short-Acting? Refer to <a href="https://papdl.com/preferred-drug-list">https://papdl.com/preferred-drug-list</a> for a list of preferred and non-preferred medications in this class.	<input type="checkbox"/> Yes <input type="checkbox"/> No	<i>Submit documentation of previous trials/failures, contraindications, and/or intolerances.</i>	
<b>Therapeutic Duplication:</b>			
If concurrently prescribed a therapeutic duplicate (i.e. a short-acting opioid analgesic different from the agent being requested):			
<input type="checkbox"/> Is being transitioned to another short-acting opioid antagonist with the intent of discontinuing one of the medications			
<input type="checkbox"/> Has a medical reason for concomitant use of the requested medications that is supported by peer-reviewed literature or national treatment guidelines			
<b>Exceeds Quantity Limit:</b>			
If requesting for daily quantity exceeding daily limit (Refer to <a href="https://www.dhs.pa.gov/providers/Pharmacy-Services/Pages/Quantity-Limits-and-Daily-Dose-Limits.aspx">https://www.dhs.pa.gov/providers/Pharmacy-Services/Pages/Quantity-Limits-and-Daily-Dose-Limits.aspx</a> ):			
<input type="checkbox"/> Has documented severe pain (<21 years) or moderate to severe pain (≥21 years) by a pain assessment tool measurement: _____			
<input type="checkbox"/> Prescribed by an appropriate specialist or in consultation specialist: _____			

- Pain is inadequately controlled by current quantity limit
- Pain is inadequately controlled or has a contraindication or adverse reaction to alternative short-acting opioid analgesics
- Member's pain will not be more appropriately controlled by initiated or adjusting long-acting opioid analgesic

Is the member being treated for any of the following:

- active cancer
- sickle cell with crisis
- neonatal abstinence syndrome
- receiving hospice or palliative care services

Yes

*If YES - Submit documentation.*

No

*If NO - continue to the following section(s)*

**CHECK ALL THAT APPLY. SUBMIT MEDICAL RECORD INFORMATION FOR EACH APPLICABLE ITEM.**

**INITIAL REQUESTS:**

- Documented pain assessment tool measurement (pain score): \_\_\_\_\_
- Member has tried or cannot try non-drug pain management modalities (e.g. behavioral, cognitive, physical, and/or supportive therapies): \_\_\_\_\_
- Member has tried or cannot try non-opioid drugs for the treatment of pain – specify medication, start and end date:
  - Acetaminophen: \_\_\_\_\_
  - Non-Steroidal Anti-Inflammatory Drugs (NSAIDs): \_\_\_\_\_
  - Gabapentinoid (e.g. gabapentin, pregabalin): \_\_\_\_\_
  - Duloxetine: \_\_\_\_\_
  - Tricyclic antidepressant (e.g. amitriptyline): \_\_\_\_\_
  - Other: \_\_\_\_\_
- Requested opioid medication will be used in combination with tolerated non-drug therapies and non-opioid medications: \_\_\_\_\_
- Member was assessed for the potential risk of misuse, abuse, and addiction based on family and social history obtained by prescriber
- Member was counseled regarding potential side effects of opioids including risk of misuse, abuse, addiction (if <21 yo, parent/guardian may be counseled)
- Member was assessed for recent (within the past 60 days) opioid use
- Member was evaluated for risk factors for opioid-related harm
  - If identified to be at high risk for opioid-related harm*, the prescriber considered prescribing naloxone
- Member has a recent urine drug screen testing for illicit and licit substances of abuse (with specific testing for oxycodone, fentanyl, and tramadol)

**RENEWAL REQUESTS:**

- Member has experienced an improvement in pain control and level of functioning while on the requested agent, as evidenced by: \_\_\_\_\_
- Requested opioid medication will be used in combination with tolerated non-drug therapies and non-opioid medications: \_\_\_\_\_
- Member is being monitored by the prescriber for adverse events and warning signs of serious problems, such as overdose and opioid use disorder
- Member was evaluated for risk factors for opioid-related harm
  - If identified to be at high risk for opioid-related harm*, the prescriber considered prescribing naloxone
- Member has a recent urine drug screen testing for illicit and licit substances of abuse (with specific testing for oxycodone, fentanyl, and tramadol) every 6 months for greater than 50MME per day and every 12 months for less than 50MME per day

**REQUESTS FOR NASAL BUTORPHANOL (STADOL):**

- Member is not opioid-tolerant (*submit complete list of medications*)
- For migraine:**
  - Has a history of trial & failure of or contraindication or intolerance to *all* abortive & preventive medications (medication, start date and end date): \_\_\_\_\_
  - Acetaminophen: \_\_\_\_\_
  - Non-Steroidal Anti-Inflammatory Drugs (NSAIDs): \_\_\_\_\_
  - Triptans: \_\_\_\_\_
  - Dihydroergotamine: \_\_\_\_\_
  - Anticonvulsant (e.g. topiramate, valproic acid, divalproex): \_\_\_\_\_
  - Beta-Blocker (e.g. metoprolol, propranolol, timolol): \_\_\_\_\_

- Botulinum toxin (for diagnosis of chronic migraine only): \_\_\_\_\_
- Calcitonin Gene-Related Peptide Inhibitors/Antagonist (e.g. Emgality, Aimovig, Nurtec): \_\_\_\_\_
- Calcium Channel Blocker (e.g. verapamil): \_\_\_\_\_
- Serotonin-Norepinephrine Reuptake Inhibitor (e.g. venlafaxine): \_\_\_\_\_
- Tricyclic Antidepressant (e.g. amitriptyline): \_\_\_\_\_
- Prescribed by a neurologist or headache specialist certified in headache medicine by the United Council for Neurologic Subspecialties: \_\_\_\_\_
- For pain:***
  - Has a history of therapeutic failure, contraindication, or intolerance of at least 3 unrelated (i.e., different opioid ingredient) preferred short-acting opioid analgesics (single-entity or combination products) (medication, start date and end date): \_\_\_\_\_
  - Prescribed by a specialist certified in neurology, pain medicine, oncology or hospice or palliative medicine: \_\_\_\_\_

**REQUESTS FOR A TRANSMUCOSAL FENTANYL PRODUCT:**

- Member has a diagnosis of cancer
- Member is opioid-tolerant (*submit complete list of medications*)
- Prescribed by a specialist certified in pain medicine, oncology, or hospice and palliative medicine by the American Board of Medical Specialties: \_\_\_\_\_
- Has a history of a contraindication to the preferred short-acting opioid analgesics: \_\_\_\_\_

**REQUESTS FOR COMBINATION AGENT CONTAINING BARBITURATE:**

- Refer to Analgesics, Non-Opioid Barbiturate Combinations policy at <https://www.pahealthwellness.com/providers/resources/clinical-payment-policies.html> for additional requirements for approval.

**IF REQUESTED SHORT-ACTING OPIOID ANALGESIC IS BEING PRESCRIBED CONCURRENTLY WITH A BUPRENORPHINE AGENT OR AN EXTENDED-RELEASE INJECTABLE NALTREXONE SUSPENSION (VIVITROL) FOR THE TREATMENT OF OPIOID USE DISORDER:**

- The prescriptions were prescribed by the same prescriber
- The prescriptions were prescribed by different prescribers
  - All prescribers are aware of the other prescriptions
- Has an **acute** need for therapy with an Analgesic, Opioid Short-Acting, and the other therapy will be suspended during the treatment for acute pain

**IV. ADDITIONAL RATIONALE FOR REQUEST / PERTINENT CLINICAL INFORMATION :**

Appropriate clinical information to support the request on the basis of medical necessity must be submitted.	Provider Signature:	Date:
--	---------------------	-------

Involve Pharmacy Solutions will respond via fax or phone within 24 hours.  
 Requests for prior authorization (PA) requests must include member name, ID#, and drug name. Please include lab reports with requests when appropriate (e.g., Culture and Sensitivity; Hemoglobin A1C; Serum Creatinine; CD4; Hematocrit; WBC, etc.)