

Prior Authorization Review Panel

CHC-MCO Policy Submission

A separate copy of this form must accompany each policy submitted for review. Policies submitted without this form will not be considered for review.

Plan: PA Health & Wellness	Submission Date: 02/01/2022			
Policy Number: PA.CP.PHAR.411	Effective Date: 01/01/2018 Revision Date: 01/2022			
Policy Name: Amifampridine (Firdapse, Ruzurgi)	·			
Type of Submission – Check all that apply: □ New Policy ✓ Revised Policy* □ Annual Review - No Revisions □ Statewide PDL - Select this box when submitting policies when submitting policies for drug classes included on the Statewise Policies for drug classes in Classes Policies for drug classes for				
*All revisions to the policy <u>must</u> be highlighted using track changes throughout the document.				
Please provide any changes or clarifying information for the policy below:				
1Q 2022 annual review: for Ruzurgi redirection modified from medical justification to member must use language per template; references reviewed and updated.				
Name of Authorized Individual (Please type or print):	Signature of Authorized Individual:			
Venkateswara R. Davuluri, MD	- Raulun			
1				

CLINICAL POLICY Amifampridine



Clinical Policy: Amifampridine (Firdapse, Ruzurgi)

Reference Number: PA.CP.PHAR.411

Effective Date: 04.2019 Last Review Date: 01.2022

Revision Log

Description

Amifampridine (Firdapse[®], Ruzurgi[®]) is potassium channel blocker.

FDA Approved Indication(s)

Firdapse is indicated for the treatment of Lambert-Eaton myasthenic syndrome (LEMS) in adults.

Ruzurgi is indicated for the treatment of Lambert-Eaton myasthenic syndrome (LEMS) in patients 6 to less than 17 years of age.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with PA Health & Wellness® that Firdapse and Ruzurgi are **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

- A. Lambert-Eaton Myasthenic Syndrome (must meet all):
 - 1. Diagnosis of LEMS;
 - 2. Documentation of confirmatory diagnostic test results from one of the following (a or b):
 - a. Repetitive Nerve Stimulation (RNS) testing showing reproducible post-exercise increase in compound muscle action potential (CMAP) amplitude of at least 60 percent compared with pre-exercise baseline value or a similar increment on high-frequency repetitive nerve stimulation without exercise;
 - b. If member is unable to complete RNS testing, positive anti-P/Q type voltage-gated calcium channel (VGCC) antibody blood test;
 - 3. Prescribed by or in consultation with a neurologist;
 - 4. Member meets one of the following (a or b):
 - a. If request is for Firdapse: age ≥ 18 years;
 - b. If request is for Ruzurgi: age ≥ 6 years;
 - 5. Documentation of a baseline clinical muscle strength assessment (examples may include but are not limited to the Quantitative Myasthenia Gravis (QMG) score, triple-timed up-and-go test (3TUG), Timed 25-foot Walk test (T25FW)) (see *Appendix D*);
 - 6. If request is for Firdapse, member must use Ruzurgi, unless contraindicated or clinically significant adverse effects are experienced;
 - 7. Dose does not exceed one of the following:
 - a. Firdapse 80 mg (8 tablets) per day;
 - b. Ruzurgi:

CLINICAL POLICY Amifampridine



- i. Weight \geq 45 kg: 30 mg per dose (total 100 mg [10 tablets] per day);
- ii. Weight < 45 kg: 15 mg per dose (total 50 mg [5 tablets] per day).

Approval duration: 6 months

B. Other diagnoses/indications

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): PA.CP.PMN.53 for Medicaid.

II. Continued Therapy

A. Lambert-Eaton Myasthenic Syndrome (must meet all):

- 1. Currently receiving medication via PA Health & Wellness benefit and documentation supports positive response to therapy or the Continuity of Care policy (PA.LTSS.PHAR.01) applies;
- 2. Member is responding positively to therapy as evidenced by clinical muscle strength assessments (examples may include but are not limited to the QMG score, 3TUG test, T25FW test) (see *Appendix D*);
- 3. If request is for a dose increase, new dose does not exceed one of the following:
 - a. Firdapse 80 mg (8 tablets per day);
 - b. Ruzurgi:
 - i. Weight \geq 45 kg: 30 mg per dose (total 100 mg [10 tablets] per day);
 - ii. Weight < 45 kg: 15 mg per dose (total 50 mg [5 tablets] per day).

Approval duration: 12 months

B. Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via PA Health & Wellness benefit and documentation supports positive response to therapy or the Continuity of Care policy (PA.LTSS.PHAR.01) applies.

Approval duration: Duration of request or 6 months (whichever is less); or

2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): PA.CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – PA.CP.PMN.53 for Medicaid or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key
CMAP: compound muscle action potential
FDA: Food and Drug Administration
LEMS: Lambert-Eaton myasthenic
syndrome

QMG: Quantitative Myasthenia Gravis

3TUG: triple-timed up-and-go test RNS: repetitive nerve stimulation T25FW: Timed 25-foot Walk test VGCC: voltage-gated calcium channel



Appendix B: Therapeutic Alternatives Not applicable

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): history of seizures; hypersensitivity to amifampridine or another aminopyridine
- Boxed warning(s): none reported

Appendix D: General Information

- QMG is a physician-rated evaluation consisting of 13 assessments of muscle function (e.g., swallowing, speech, forced vital capacity, movement of arms and legs). Each assessment is rated 0 to 3, where 0 indicates "no weakness" and 3 indicates "severe weakness" (lower scores reflect better muscle strength).
- The 3TUG is a functional mobility test that requires a patient to stand up from a straight-backed armchair, walk 3 meters, turn around, walk back, and sit down in the chair. Based upon literature reports that a significant change in gait for a similar walk-test is an increase in time of more than 20%, this was incorporated into the secondary endpoint used in the NCT02970162 clinical trial.
- The T25FW test, a component of the Multiple Sclerosis Functional Composite, is a quantitative mobility and leg function performance test based on a timed 25-foot walk. The patient was directed to walk a clearly marked 25-foot course as quickly and safely as possible. Following a period of rest, the timed 25-foot walk is repeated to determine an average score.
- During RNS testing, an increase in the CMAP amplitude >100% after exercise or with high-frequency RNS is considered diagnostic of a presynaptic neuromuscular junction disorder, and the increase is frequently even greater. However, some studies have found that a significant number of patients have increments with RNS below 100%; thus, increments of 60 to 99% are strongly supportive of a presynaptic neuromuscular junction disorder.
- P/Q-type VGCC antibody result is strongly suggestive of LEMS. However, P/Q-type VGCC antibodies are present in a variety of clinical situations where LEMS is not present. While the anti-P/Q-type VGCC antibody test is confirmatory in patients who otherwise have clinical and electrophysiologic features of LEMS, the antibody test alone is not diagnostic, especially in the presence of a malignancy or amyotrophic lateral sclerosis.

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
LEMS	Adult: 15 mg to 30 mg PO in 3 to 4 divided doses	80 mg/day (adult);
	daily. Dose can be increased by 5 mg daily every 3 to	100 mg/day (peds
	4 days. The maximum single dose is 20 mg.	\geq 45 kg); 50
		mg/day (peds < 45
	Pediatric (age 6 to <17 years) and weight ≥ 45 kg: 15	kg)
	to 30 mg PO in 2 to 3 divided doses. Dose can be	



Indication	Dosing Regimen	Maximum Dose
	increased by 5 mg to 10 mg increments daily, divided in up to 5 doses per day. The maximum single dose is 30 mg.	
	Pediatric (age 6 to <17 years) and weight < 45 kg: 7.5 mg to 15 mg PO in 2 to 3 divided doses. Dose can be increased by 2.5 mg to 5 mg increments daily, divided in up to 5 doses per day. The maximum single dose is 15 mg.	

VI. Product Availability

Tablet: 10 mg

VII. References

- Firdapse Prescribing Information. Coral Gables, FL: Catalyst Pharmaceuticals, Inc.; February 2021. Available at: https://www.accessdata.fda.gov/drugsatfda_docs/label/2021/208078s007lbl.pdf. Accessed September 21, 2021.
- Ruzurgi Prescribing Information. Plainsboro, NJ.Jacobus Pharmaceutical Company, Inc.; May 2019. Available at: https://www.accessdata.fda.gov/drugsatfda_docs/label/2019/209321s000lbl.pdf. Accessed September 21, 2021.
- 3. Weinberg DH. Lambert-Eaton myasthenic syndrome: Clinical features and diagnosis. In: UpToDate, Waltham, MA. Updated July 15, 2021. Accessed September 21, 2021.
- 4. American Association of Electrodiagnostic Medicing (AAEM) Quality Assurance Committee. Practice Parameter for Repetitive Nerve Stimulation and Single Fiber EMG Evaluation of Adults with Suspected Myasthenia Gravis or Lambert–Eaton Myasthenic Syndrome: Summary Statement. Muscle Nerve 24: 1236-1238, 2001.
- 5. Oh SJ, Kurokawa K, Claussen GC, Ryan HF Jr. Electrophysiological diagnostic criteria of Lambert-Eaton myasthenic syndrome. Muscle Nerve 2005;32:515–520.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created	04/2019	
1Q 2020 annual review: Added new FDA-approved agent: Ruzurgi, in line with previously approved clinical guidance for amifampridine; added quantities associated with dosing requirements; for Ruzurgi requests added reference to HIM nonformulary policy in approval durations for each criteria set; references reviewed and updated.	01/2020	
1Q 2021 annual review: added requirement for diagnostic testing to confirm diagnosis; references reviewed and updated.	01/2021	

CLINICAL POLICY Amifampridine



Reviews, Revisions, and Approvals	Date	P&T Approval Date
1Q 2022 annual review: for Ruzurgi redirection modified from	01/2022	
medical justification to member must use language per template;		
references reviewed and updated.		