

Clinical Policy: Factor XIII (Human - Corifact)

Reference Number: PA.CP.PHAR.221 Effective Date: 01/2018 Last Review Date: 01/2023

Coding Implications Revision Log

Description

Factor XIII, human (Corifact[®]) is a plasma-derived factor XIII concentrate.

FDA Approved Indication(s)

Corifact is indicated for adult and pediatric patients with congenital factor XIII deficiency for:

- Routine prophylactic treatment;
- Perioperative management of surgical bleeding.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of PA Health & Wellness[®] that Corifact is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

A. Congenital Factor XIII Deficiency (must meet all):

- 1. Diagnosis of congenital factor XIII deficiency;
- 2. Prescribed by or in consultation with a hematologist;
- 3. Request is for one of the following uses (a, b, or c):
 - a. Control and prevention of acute bleeding;
 - b. Perioperative management;
 - c. Routine prophylaxis to prevent or reduce the frequency of bleeding episodes.

Approval duration: 3 months (surgical/acute bleeding) or 6 months (prophylaxis)

B. Other diagnoses/indications: Refer to PA.CP.PMN.53

II. Continued Therapy

A. Congenital Factor XIII Deficiency (must meet all):

- 1. Currently receiving medication via PA Health & Wellness benefit or member has previously met all initial approval criteria; or the Continuity of Care policy (PA.LTSS.PHAR.01) applies;
- 2. Member is responding positively to therapy.

Approval duration: 3 months (surgical/acute bleeding) or 6 months (prophylaxis)

B. Other diagnoses/indications (1 or 2):

1. Currently receiving medication via PA Health & Wellness benefit and documentation supports positive response to therapy; or the Continuity of Care policy (PA.LTSS.PHAR.01) applies.

Approval duration: Duration of request or 6 months (whichever is less); or

CLINICAL POLICY Factor XIII



2. Refer to PA.CP.PMN.53

III. Appendices/General Information

Appendix A: Abbreviation/Acronym Key FDA: Food and Drug Administration

Appendix B: Therapeutic Alternatives Not applicable

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): known anaphylactic or severe systemic reactions to human plasmaderived products
- Boxed warning(s): none reported

Appendix D: General Information

- Serious bleeding episodes include bleeds in the following site: intracranial, neck/throat, gastrointestinal, or joints (hemarthrosis).
- Spontaneous bleed is defined as a bleeding episode that occurs without apparent cause and is not the result of trauma.

Indication	Dosing Regimen	Maximum Dose
Routine prophylaxis	40 IU/kg IV every 28 days	Individualized
	Adjust dose \pm 5 IU/kg to maintain 5% to 20% trough level of FXIII activity.	
Peri-operative management and management of	Dosing is individualized and depends on the time since the patient's last prophylactic dose.	Individualized
acute bleeding episodes	 If the last dose was within the past 7 days, then an additional dose may not be needed. If the last dose was 8-21 days prior, then an additional partial or full dose may be needed 	
	 based on Factor XIII activity level. If the last dose was 21-28 days prior, then a full prophylactic dose can be given. 	

IV. Dosage and Administration

V. Product Availability

Single-use vial: 1,000-1,600 units/vial

VI. References

- 1. Corifact Prescribing Information. Kankalee, IL: CSL Behring LLC; December 2019. Available at <u>http://www.corifact.com</u>. Accessed November 18, 2022.
- 2. Srivastava A, Brewer AK, Mauser-Bunschoten EP, et al. Guidelines for the management of hemophilia. Haemophilia. Jan 2013; 19(1): e1-47.

CLINICAL POLICY Factor XIII



 Medical and Scientific Advisory Council (MASAC) of the National Hemophilia Foundation (NHF): Database of treatment guidelines. Available at <u>https://www.hemophilia.org/Researchers-Healthcare-Providers/Medical-and-Scientific-Advisory-Council-MASAC/MASAC-Recommendations</u>. Accessed November 8, 2022.

Coding Implications

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-todate sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

HCPCS Codes	Description
J7180	Injection, factor XIII (antihemophilic factor, human), 1 IU

Reviews, Revisions, and Approvals	Date	Approval Date
References reviewed and updated.		
1Q 2019 annual review: references reviewed and updated.		
1Q 2020 annual review: references reviewed and updated.		
Added appendix D: general information		
1Q 2021 annual review: references reviewed and updated.		
1Q 2022 annual review: no significant changes; references reviewed and updated.	01/2022	
1Q 2023 annual review: no significant changes; references reviewed and updated.		